

Bovine Rhinotracheitis- Parainfluenza₃-Respiratory Syncytial Virus Vaccine Modified Live Virus

Elanco™



Titanium® BRSV 3 from the *Signature* cell line® IBR-PI₃-BRSV

INDICATIONS:

For the vaccination of healthy cattle as an aid in the prevention of disease caused by bovine rhinotracheitis virus (IBR), bovine parainfluenza₃ virus (PI₃) and bovine respiratory syncytial virus (BRSV).

DIRECTIONS AND DOSAGE:

Rehydrate the desiccated vial with accompanying diluent and shake well. Inject 2 mL subcutaneously or intramuscularly using aseptic technique, followed by a second dose of monovalent bovine respiratory syncytial virus vaccine (Titanium BRSV) to be given in 14 to 28 days after the first dose. Annual revaccination is recommended. Calves vaccinated before weaning should be revaccinated 30 days after weaning when the possible influence of maternal antibodies is decreased.

CAUTION:

Store at 35° to 46° F (2° to 8° C). **DO NOT FREEZE.**

Use entire contents when first opened. Allergic reactions may follow the use of vaccines; **ANTIDOTE:** Epinephrine. Do not vaccinate within 21 days before slaughter. Burn container and all unused contents.

**DO NOT USE IN PREGNANT COWS OR IN CALVES NURSING PREGNANT COWS.
ABORTIONS MAY RESULT.**

FOR USE IN ANIMALS ONLY

Elanco, Titanium and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.

Code: 1194
Code: 1193

Manufactured by:
Diamond Animal Health, Inc.
Des Moines, Iowa 50327 U.S.A.
U.S. Veterinary License No. 213



Distributed by:
Elanco Animal Health
Greenfield, IN 46140 U.S.A.
A Division of Eli Lilly and Company
1-800-428-4441

