

Net weight lb (kg) on bag or bulk
Narasin/Tylosin phosphate Broiler Chicken Ration
Type C Medicated Feed

For the prevention of coccidiosis caused by *Eimeria necatrix*, *E. tenella*, *E. acervulina*, *E. brunetti*, *E. mivati*, and *E. maxima*, and for increased rate of weight gain and improved feed efficiency in broiler chickens.

Active Drug Ingredient

Narasin.....54 to 72 g/ton
Tylosin phosphate.....4 to 50 g/ton

Guaranteed Analysis

Crude Protein, not less than.....%
Lysine, not less than.....%
Methionine, not less than.....%
Crude Fat, not less than.....%
Crude Fiber, not more than.....%
Calcium, not less than.....%
Calcium, not more than.....%
Phosphorus, not less than.....%
Salt¹, not less than.....%
Salt¹, not more than.....%
Sodium², not less than.....%
Sodium², not more than.....%

¹If added.

²Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

Ingredients

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Official's.

Directions for Use

Feed continuously as sole ration.

(OVER)

CAUTION: Do not feed to laying chickens. May be fatal if accidentally fed to adult turkeys or to horses.

MANUFACTURED BY

BLUE BIRD FEED MILL

Anytown, USA 1234